

RECEIVED

SEP 06 1999

TECHNOCENTER 1500/1500

A. Decloux

Page 1 of 7

1644

PHD

RAW SEQUENCE LISTING  
PATENT APPLICATION: US/09/308,150

DATE: 08/24/2000  
TIME: 16:07:25

ENTERED

Input Set : A:\3081501.app  
Output Set: N:\CRF3\08232000\I308150.raw

```

3 <110> APPLICANT: Van Venrooij, Waltherus Jacobus Wilhelmus
4 Schellekens, Gerardus Antonius
5 Raats, Jozef Maria Hendrik
6 Hoet, Rene Michael Antonius
7 Stichting Scheikundig Onderzoek Nederland
8 Stichting voor de Technische Wetenschappen
10 <120> TITLE OF INVENTION: PEPTIDE DERIVED FROM AN ANTIGEN RECOGNIZED BY
11 AUTOANTIBODIES FROM PATIENTS WITH RHEUMATOID ARTHRITIS,
12 ANTIBODY DIRECTED AGAINST SAID PEPTIDE, A COMBINATORIAL
13 ANTIGEN, AND A METHOD OF DETECTING AUTO-IM
15 <130> FILE REFERENCE: 09/308,150 -- PCT/NL97/00624
17 <140> CURRENT APPLICATION NUMBER: 09/308,150
18 <141> CURRENT FILING DATE: 1999-09-30
20 <150> PRIOR APPLICATION NUMBER: PCT/NL97/00624
21 <151> PRIOR FILING DATE: 1997-11-14
23 <150> PRIOR APPLICATION NUMBER: NL 1004539
24 <151> PRIOR FILING DATE: 1996-11-15
26 <160> NUMBER OF SEQ ID NOS: 16
28 <170> SOFTWARE: PatentIn Ver. 2.1
30 <210> SEQ ID NO: 1
31 <211> LENGTH: 19
32 <212> TYPE: PRT
33 <213> ORGANISM: Artificial Sequence
35 <220> FEATURE:
36 <223> OTHER INFORMATION: Description of Artificial Sequence:Derived from
37 known cDNA sequences of human profilaggrin
39 <220> FEATURE:
40 <223> OTHER INFORMATION: Xaa is citrulline
42 <400> SEQUENCE: 1
W--> 43 Ser His Gln Glu Ser Thr Xaa Gly Arg Ser Arg Gly Arg Ser Gly Arg
44 1 5 10 15
46 Ser Gly Ser
50 <210> SEQ ID NO: 2
51 <211> LENGTH: 19
52 <212> TYPE: PRT
53 <213> ORGANISM: Artificial Sequence
55 <220> FEATURE:
56 <223> OTHER INFORMATION: Description of Artificial Sequence:Derived from
57 known cDNA sequences of human profilaggrin
59 <220> FEATURE:
60 <223> OTHER INFORMATION: Xaa is citrulline
62 <400> SEQUENCE: 2
W--> 63 Ser His Gln Glu Ser Thr Arg Gly Xaa Ser Arg Gly Arg Ser Gly Arg
64 1 5 10 15
66 Ser Gly Ser
70 <210> SEQ ID NO: 3
71 <211> LENGTH: 19
```

## RAW SEQUENCE LISTING

DATE: 08/24/2000

PATENT APPLICATION: US/09/308,150

TIME: 16:07:25

Input Set : A:\3081501.app

Output Set: N:\CRF3\08232000\I308150.raw

```

72 <212> TYPE: PRT
73 <213> ORGANISM: Artificial Sequence
75 <220> FEATURE:
76 <223> OTHER INFORMATION: Description of Artificial Sequence:Derived from
77     known cDNA sequences of human profilaggrin
79 <220> FEATURE:
80 <223> OTHER INFORMATION: Xaa is citrulline
82 <400> SEQUENCE: 3
W--> 83 Ser His Gln Glu Ser Thr Arg Gly Arg Ser Xaa Gly Arg Ser Gly Arg
      84   1             5             10             15
      86 Ser Gly Ser
90 <210> SEQ ID NO: 4
91 <211> LENGTH: 19
92 <212> TYPE: PRT
93 <213> ORGANISM: Artificial Sequence
95 <220> FEATURE:
96 <223> OTHER INFORMATION: Description of Artificial Sequence:Derived from
97     known cDNA sequences of human profilaggrin
99 <220> FEATURE:
100 <223> OTHER INFORMATION: Xaa is citrulline
102 <400> SEQUENCE: 4
W--> 103 Ser His Gln Glu Ser Thr Arg Gly Arg Ser Arg Gly Xaa Ser Gly Arg
      104   1             5             10             15
      106 Ser Gly Ser
110 <210> SEQ ID NO: 5
111 <211> LENGTH: 19
112 <212> TYPE: PRT
113 <213> ORGANISM: Artificial Sequence
115 <220> FEATURE:
116 <223> OTHER INFORMATION: Description of Artificial Sequence:Derived from
117     known cDNA sequences of human profilaggrin
119 <220> FEATURE:
120 <223> OTHER INFORMATION: Xaa is citrulline
122 <400> SEQUENCE: 5
W--> 123 Ser His Gln Glu Ser Thr Arg Gly Arg Ser Arg Gly Arg Ser Gly Xaa
      124   1             5             10             15
      126 Ser Gly Ser
130 <210> SEQ ID NO: 6
131 <211> LENGTH: 19
132 <212> TYPE: PRT
133 <213> ORGANISM: Artificial Sequence
135 <220> FEATURE:
136 <223> OTHER INFORMATION: Description of Artificial Sequence:Derived from
137     known cDNA sequences of human profilaggrin
139 <220> FEATURE:
140 <223> OTHER INFORMATION: Xaa is citrulline
142 <400> SEQUENCE: 6
W--> 143 Ser His Gln Glu Ser Thr Xaa Gly Xaa Ser Arg Gly Arg Ser Gly Arg
      144   1             5             10             15

```

RAW SEQUENCE LISTING                      DATE: 08/24/2000  
 PATENT APPLICATION: US/09/308,150        TIME: 16:07:25

Input Set : A:\3081501.app  
 Output Set: N:\CRF3\08232000\I308150.raw

```

146 Ser Gly Ser
150 <210> SEQ ID NO: 7
151 <211> LENGTH: 19
152 <212> TYPE: PRT
153 <213> ORGANISM: Artificial Sequence
155 <220> FEATURE:
156 <223> OTHER INFORMATION: Description of Artificial Sequence:Derived from
157      known cDNA sequences of human profilaggrin
159 <220> FEATURE:
160 <223> OTHER INFORMATION: Xaa is citrulline
162 <400> SEQUENCE: 7
W--> 163 Ser His Gln Glu Ser Thr Xaa Gly Arg Ser Xaa Gly Arg Ser Gly Arg
      1         5             10             15
166 Ser Gly Ser
170 <210> SEQ ID NO: 8
171 <211> LENGTH: 19
172 <212> TYPE: PRT
173 <213> ORGANISM: Artificial Sequence
175 <220> FEATURE:
176 <223> OTHER INFORMATION: Description of Artificial Sequence:Derived from
177      known cDNA sequences of human profilaggrin
179 <220> FEATURE:
180 <223> OTHER INFORMATION: Xaa is citrulline
182 <400> SEQUENCE: 8
W--> 183 Ser His Gln Glu Ser Thr Xaa Gly Arg Ser Arg Gly Xaa Ser Gly Arg
      1         5             10             15
186 Ser Gly Ser
190 <210> SEQ ID NO: 9
191 <211> LENGTH: 19
192 <212> TYPE: PRT
193 <213> ORGANISM: Artificial Sequence
195 <220> FEATURE:
196 <223> OTHER INFORMATION: Description of Artificial Sequence:Derived from
197      known cDNA sequences of human profilaggrin
199 <220> FEATURE:
200 <223> OTHER INFORMATION: Xaa is citrulline
202 <400> SEQUENCE: 9
W--> 203 Ser His Gln Glu Ser Thr Xaa Gly Arg Ser Arg Gly Arg Ser Gly Xaa
      1         5             10             15
206 Ser Gly Ser
210 <210> SEQ ID NO: 10
211 <211> LENGTH: 21
212 <212> TYPE: PRT
213 <213> ORGANISM: Artificial Sequence
215 <220> FEATURE:
216 <223> OTHER INFORMATION: Description of Artificial Sequence:Derived from
217      known cDNA sequences of human profilaggrin
219 <220> FEATURE:
220 <223> OTHER INFORMATION: Xaa is citrulline

```

RAW SEQUENCE LISTING  
 PATENT APPLICATION: US/09/308,150  
 DATE: 08/24/2000  
 TIME: 16:07:25

Input Set : A:\3081501.app  
 Output Set: N:\CRF3\08232000\I308150.raw

```

222 <220> FEATURE:
223 <221> NAME/KEY: DISULFID
224 <222> LOCATION: (3)..(16)
226 <400> SEQUENCE: 10
W--> 227 His Gln Cys His Gln Glu Ser Thr Xaa Gly Arg Ser Arg Gly Arg Cys
      228   1           5           10           15
      230 Gly Arg Ser Gly Ser
      231           20
      234 <210> SEQ ID NO: 11
      235 <211> LENGTH: 19
      236 <212> TYPE: PRT
      237 <213> ORGANISM: Artificial Sequence
      239 <220> FEATURE:
      240 <223> OTHER INFORMATION: Description of Artificial Sequence:Derived from
      241       known cDNA sequences of human profilaggrin
      243 <400> SEQUENCE: 11
      244 Ser His Gln Glu Ser Thr Arg Gly Arg Ser Arg Gly Arg Ser Gly Arg
      245   1           5           10           15
      247 Ser Gly Ser
      251 <210> SEQ ID NO: 12
      252 <211> LENGTH: 19
      253 <212> TYPE: PRT
      254 <213> ORGANISM: Artificial Sequence
      256 <220> FEATURE:
      257 <223> OTHER INFORMATION: Description of Artificial Sequence:Derived from
      258       known cDNA sequences of human profilaggrin
      260 <400> SEQUENCE: 12
      261 Ser His Gln Glu Ser Thr Ala Gly Arg Ser Arg Gly Arg Ser Gly Arg
      262   1           5           10           15
      264 Ser Gly Ser
      268 <210> SEQ ID NO: 13
      269 <211> LENGTH: 19
      270 <212> TYPE: PRT
      271 <213> ORGANISM: Artificial Sequence
      273 <220> FEATURE:
      274 <223> OTHER INFORMATION: Description of Artificial Sequence:Derived from
      275       known cDNA sequences of human profilaggrin
      277 <400> SEQUENCE: 13
      278 Ser His Gln Glu Ser Thr Glu Gly Arg Ser Arg Gly Arg Ser Gly Arg
      279   1           5           10           15
      281 Ser Gly Ser
      285 <210> SEQ ID NO: 14
      286 <211> LENGTH: 19
      287 <212> TYPE: PRT
      288 <213> ORGANISM: Artificial Sequence
      290 <220> FEATURE:
      291 <223> OTHER INFORMATION: Description of Artificial Sequence:Derived from
      292       known cDNA sequences of human profilaggrin
      294 <400> SEQUENCE: 14

```

RAW SEQUENCE LISTING                      DATE: 08/24/2000  
 PATENT APPLICATION:    US/09/308,150        TIME: 16:07:25

Input Set : A:\3081501.app  
 Output Set: N:\CRF3\08232000\I308150.raw

```

295 Ser His Gln Glu Ser Thr Gln Gly Arg Ser Arg Gly Arg Ser Gly Arg
296   1               5               10               15
298 Ser Gly Ser
302 <210> SEQ ID NO: 15
303 <211> LENGTH: 14
304 <212> TYPE: PRT
305 <213> ORGANISM: Artificial Sequence
307 <220> FEATURE:
308 <223> OTHER INFORMATION: Description of Artificial Sequence:Derived from
309     known cDNA sequences of human profilaggrin
311 <220> FEATURE:
312 <223> OTHER INFORMATION: Xaa is citrulline
314 <400> SEQUENCE: 15
W--> 315 Thr Gly Pro Ser Thr Arg Gly Arg Gln Gly Ser Xaa His Glu
316   1               5               10
319 <210> SEQ ID NO: 16
320 <211> LENGTH: 20
321 <212> TYPE: PRT
322 <213> ORGANISM: Artificial Sequence
324 <220> FEATURE:
325 <223> OTHER INFORMATION: Description of Artificial Sequence:Derived from
326     known cDNA sequences of human profilaggrin
328 <400> SEQUENCE: 16
329 Glu Ser Ser His Gly Trp Thr Gly Pro Ser Thr Arg Gly Arg Gln Gly
330   1               5               10               15
332 Ser Arg His Glu
333           20

```

## VERIFICATION SUMMARY

DATE: 08/24/2000

PATENT APPLICATION: US/09/308,150

TIME: 16:07:26

Input Set : A:\3081501.app

Output Set: N:\CRF3\08232000\I308150.raw

L:43 M:258 W: Mandatory Feature missing, <221> not found for SEQ ID#:1  
L:43 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:1  
L:43 M:340 W: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:1  
L:63 M:258 W: Mandatory Feature missing, <221> not found for SEQ ID#:2  
L:63 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:2  
L:63 M:340 W: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:2  
L:83 M:258 W: Mandatory Feature missing, <221> not found for SEQ ID#:3  
L:83 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:3  
L:83 M:340 W: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:3  
L:103 M:258 W: Mandatory Feature missing, <221> not found for SEQ ID#:4  
L:103 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:4  
L:103 M:340 W: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:4  
L:123 M:258 W: Mandatory Feature missing, <221> not found for SEQ ID#:5  
L:123 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:5  
L:123 M:340 W: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:5  
L:143 M:258 W: Mandatory Feature missing, <221> not found for SEQ ID#:6  
L:143 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:6  
L:143 M:340 W: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:6  
L:163 M:258 W: Mandatory Feature missing, <221> not found for SEQ ID#:7  
L:163 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:7  
L:163 M:340 W: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:7  
L:183 M:258 W: Mandatory Feature missing, <221> not found for SEQ ID#:8  
L:183 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:8  
L:183 M:340 W: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:8  
L:203 M:258 W: Mandatory Feature missing, <221> not found for SEQ ID#:9  
L:203 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:9  
L:203 M:340 W: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:9  
L:227 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10  
L:315 M:258 W: Mandatory Feature missing, <221> not found for SEQ ID#:15  
L:315 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:15  
L:315 M:340 W: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:15